

Colour set: Rear wheels and forks - To be matched only with: Rear wheels Ultra-light Progeo - Standard! (22 - 24)			
☆ Polished black	22" 24" 25" 26"		
○ Bright silver	22" 24"		00833
○ Bright fuchsia	22" 24"		00833
○ Bright blue	22" 24"		00833
○ Bright red	22" 24"		00833
○ Bright lime	22" 24"		00833
○ Pearl white	22" 24"		00833

Date ..... Order ..... User ..... Address .....

## Rear wheels

- ☆ 24" Ultra-light Progeo - Standard!  
☐ 22" Ultra-light Progeo - Standard!  
☐ 25" Ultra-light Progeo - Standard! (colour: black)  
☐ 26" Progeo - Standard! (colour: black)  
☐ 24" ULTRA-LIGHT PROGEO KEY SPORT Weight reduction approx. 450gr. 04383  
☐ 24" Ultra-light "Spinergy LX" 01685  
☐ 24" Ultra-light "Spinergy LXL" ☐ Black hub and white spokes ☐ Hub and spokes black 07846  
☐ 24" Ultra-light "Spinergy Flex rim" Integrated aluminium/rubber handrim 02270  
☐ 25" Ultra-light "Spinergy LX" 02101  
☐ 25" Ultra-light "Spinergy LXL" ☐ Black hub and white spokes 07847  
☐ 26" Ultra-light "Spinergy LX" 02102  
☐ 24" Off-road (aluminium handrim black) 01392  
☐ 22" with brake handles for companion (drum brake) (aluminium handrim) 03385  

Available only with: camber 0° and Setting Standard

☐ 24" with brake handles for companion (drum brake) (aluminium handrim) 03384  

Available only with: camber 0° and Setting Standard

☐ One arm drive - (24" rear wheels Aluminium handrim High pressure Tyre) - camber 0°  
☐ Right ☐ Left 02103

## Rear wheel tyre

- ☆ High pressure tyre (22"-24"-25"-26")  
☐ High pressure profile tyre (24")  
☐ Marathon Plus (24"-25") with anti-puncture protection 01669  
☐ Anti-puncture - Colour Black (24") 11083  

Not available with Rear wheels : 24" ULTRA-LIGHT PROGEO KEY SPORT, 24" Ultra-light "Spinergy LXL"

☐ Anti-puncture - Colour Grey (22") 04181

## Handrim

Wheel distance ☆ 3 cm ☐ 4 cm

- ☆ Aluminium (22"-24"-25"-26")  
☐ Aluminium black SOFT-TOUCH (24"-25") (24" handrim, on 25" wheel is installed with spacers) 09170  
☐ Chromed Steel (24"-25") (24" handrim, on 25" wheel is installed with spacers) 01684  
☐ Titanium (24"-25") (24" handrim, on 25" wheel is installed with spacers) 00016  
☐ Ultra Grepp (24"-25") (24" handrim, on 25" wheel is installed with spacers) 00017  
☐ Max Grepp (24"-25") (24" handrim, on 25" wheel is installed with spacers) 00834  
☐ Ergo Para (24") 00632  
☐ TOP FRICTION (24"-25") (24" handrim, on 25" wheel is installed with spacers) 11023  

Oval countour with a rubber insert

☐ NOVA H (24"-25") (24" handrim, on 25" wheel is installed with spacers) 11025  

Ergonomic black profile

☐ NOVA D (24"-25") (24" handrim, on 25" wheel is installed with spacers) 11026  

Ergonomic profile with rubber coating (ideal for quadriplegics)

☐ SURGE LT (25") Oval countour with a rubber insert 06427  
☐ Quad (24") 00693  
☐ Silicon cover for standard aluminium handrim Available for measures (22"- 24" - 26") 04050

## Wheel locks

- ☆ Bent lever push to lock  
☐ Straight lever push to lock  
☐ Straight lever pull to lock  
☐ Sport brake 06428  
☐ Brake with extension lever push to lock 01949  
☐ Brake with extension lever pull to lock 03372

## Footplate - See reference tables N°3

- ☆ Plastic footrest rake adjustable 11525  

Minimum footplate distance 35cm. ☆ 2/3 Internal ☐ 2/3 External

☐ One piece footplate - Flip-up! rake and depth adjustable 11527  

Minimum footplate distance 35cm. ☐ Internal ☆ 2/3 Internal ☐ External

○ Minimum footplate distance 30cm. Available only with Multi-function and rotative system - 03945 ,00

☐ One piece aluminium footplate - Flip-up! rake and depth adjustable 11528  

Minimum footplate distance 35cm. ☐ Internal ☆ 2/3 Internal ☐ 2/3 External ☐ External

☐ One piece Carbon fibre footplate rake adjustable, swing away, flip-up. 03291  


Minimum footplate distance 35cm. ☐ Internal ☐ External

Date ..... Order ..... User ..... Address .....

## Mudguard

### Mudguard

- ☒ ABS mudguard
- ☐ ABS Straight sideguard
- ☐ Carbon fibre mudguard
- ☐ Carbon fibre Straight sideguard



03946  
08918

### Removable version

- ☐ Removable ABS mudguard
- ☐ Removable ABS fibre straight sideguard
- ☐ Removable carbon fibre mudguard
- ☐ Removable Carbon fibre straight sideguard



08921  
08921  
08919  
08920

## Armrests

- ☐ Tubular armrests - Steel support with safety locking system  
(Swing away, removable and height adjustable armrest)  
Not available with anti-tippers if the rear seat height is less than 40cm



00694

### Removable armrest with ABS mudguard

- ☐ Desk armrests PROGEO (Removable and height adjustable)
- ☐ Removable armrest with ABS straight sideguard
- ☐ Removable armrest with carbon-fiber straight sideguard



09956



08881



08882

## Accessories

- ☐ Pad for front frame protectors
- ☐ Backrest-seat connection cloth
- ☐ Removable storage bag (with quick coupling)

07058  
10241  
09811

## Optional 1

### Only one optional devices for side can be chosen

- ☐ Transit wheels  
Exclude the installation of :  
Anti-tippers -Tipping aid - Crutches support
- ☐ Anti-tipper with rapid hookup  
(inside rotation to reduce the encumbrance)  
☐ Right  
☐ Left
- ☐ Tipping aid  
☐ Right  
☐ Left
- ☐ Crutches support  
☐ Right  
☐ Left



00836



00023  
00024



00025  
01046



00838  
00837

## Optional 2

- ☐ Tetraclip (Quick release axle for quadriplegic) 03947
- ☐ Quick release front forks To be matched only with: Standard support front fork 00030
- ☐ Push handles for companion (Removable and height adjustable) 01048
- ☐ Safety pelvic belt 03972
- ☐ Harness 04103
- ☐ Lumbar support (to insert in the backrest upholstery) 00013
- ☐ Swing away lateral support  
Not available with Posture backrest PHYSIO  
☐ Right 02097  
☐ Left 02098
- ☐ Spoke guards Black (22"-24") 01043
- ☐ Spoke guards Transparent (22"-24") 00835
- ☐ Spoke guards Progeo design (22"-24") 00019
- ☐ Spoke guards Dragon (22"-24") 02106



## Additional Kit














- ☐ 24" Off-road rear wheels Off-Road tyre - aluminium handrim (black colour) 03378
- ☐ 24" FAT rear wheels FAT tyre 3" - aluminium handrim (black colour) 09357

Date ..... Order ..... User ..... Address .....

**PHYSIO - Posture backrest**  
**(Std. Backrest upholstery not provided)**

Removable with quick release  
Suitable for tubes with diameter 18÷26mm  
Depth adjustment (4cm)  
Angle adjustment (±18°)

- ☐ **AIR** Carbon shell  
not available for seat width 48

BACKREST HEIGHT		28		34		40	
Shell's shape		Lateral retaining wing A=high - R=regular					
7,5 cm		A	R	A	R	A	R
							
							

- ☐ **POSTURE** Aluminum shell

BACKREST HEIGHT	34	40	52
Shell's shape	Lateral retaining wing B=regular		
	R	R	R
7,5 cm			
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Configuration DEEP with side support PAD (height adjustable)**

- ☐ Aluminum lateral with padded, breathable upholstery.



Small (h 13cm)



☐ Right  
10272



☐ Left  
10272

Large (h 20cm)




☐ Right  
10273



☐ Left  
10273

**SWING AWAY - Lateral support**

Fixing and adjustment hardware complete with protection sleeve  
Aluminum lateral with padded, breathable upholstery.



☐ Large (18x12)

05647

☐ Small (14x9)

05643

☐ Lateral support extension

Quantity (number pcs).....

10271

☐ Lateral support extension

Quantity (number pcs).....

☐ Small (14x9)

05642

☐ Large (18x12)

05646

- ☐ Headrest adjustable - Double ball mounting system  
Available only with backrest Physio  
Not available for backrest Physio AIR carbon shell



☐ Large (34x14)  
☐ Small (28x14)




05648

Date .....	Order .....	User .....	Address .....
------------	-------------	------------	---------------

Note

Wheelchair : Progeo TEKNA ADVANCE SWING with footrests removable and Swing away - Rev. 2023.3	Prices - VAT excluded to be added to the price list	<div>Send this page only if any optional have been chosen</div> <div> <input checked="" type="checkbox"/> standard (supplied if no requests are indicated)           <input type="checkbox"/> on request (without extra charge)           <input type="checkbox"/> optional (cost to be added at the basic price)       </div>
---	--	--

## REFERENCE TABLES

1		Front height				
With closed frame (95°) max 5" caster						
FORK		Casters				
		3"	4"	5"	6"	
SMALL 	min. 39	min. 40	min. 42	min. 44		
	max 42	max 43	max 43	max 45		
MEDIUM 	min. 43	min. 44	min. 44	min. 46		
	max 45	max 46	max 47	max 48		
LONG 	min. 46	min. 47	min. 46	min. 47		
	max 52	max 53	max 54	max 55		
The size of the fork will be defined only by Progeo in accordance with wheelchair final configuration.						

2	Rear height			
	Rear wheels			
	22"	24"	25"	26"
H min	min. 36	min. 38	min. 39	min. 40
H max	max 44	max 48	max 49	max 51

3	Footplate option	Footplate distance
	Classic footrest.....	min. 36.....
	One piece footplate - Flip-up!, with multifunction rotative system.....	min. 31.....
	One piece aluminium footplate - Flip-up!.....	min. 36.....
	One piece footplate - Flip-up!.....	min. 36.....
	One piece Carbon fibre footplate.....	min. 36.....
Calculated with the best configuration and with the footplates positioned on inside.		
<b>IMPORTANT NOTICE! From the footplate to the floor minimum 4cm !! (Minimum Front height = DP + 4cm)</b>		

4	Rear wheels	
	Model	Features
	22" Ultra-light Progeo - Standard!	(not available in anthracite color)
	24" Ultra-light Progeo - Standard!	(available for all colors)
	24" ULTRA-LIGHT PROGEO KEY SPORT	(silver hub, black rim and 16 spokes)
	24" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	24" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white spokes) - (black hub, rim and 18 spokes)
	24" Ultra-light "Spinergy Flex rim"	(silver hub, black rim and spokes) - (integrated aluminium/rubber handrim - encumbrance reduction up to 3cm. - all tyre)
	24" Off-road	(colour: black) - (aluminium handrim - tyre Off-road)
	25" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	25" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white spokes)
	26" Progeo - Standard!	(colour: black)
	26" Ultra-light "Spinergy LX"	(silver hub, black rim and 18 spokes)

Wheelchair : Progeo TEKNA ADVANCE SWING with footrests removable and Swing away - Rev. 2023.3