

Rigid frame wheelchair

Date .....

User name .....

Company stamp

Responsible .....

**Carbon fibre frame**

**Wheelchair measures**

Seat width (LS)     33     36     39     42     45     48

The seat width is measured from the outer sides of the frame, while the distance between the two side guards is 1 cm wider.

Seat depth (PS)     35     37,5     40     42,5     45     47,5     50

The real seat depth, from the front part of the seat cloth to the backrest tube will be 1,5 cm more than the declared one.

Footplate distance (DP) .....    **(Real distance between seat and footplate)**

**IMPORTANT NOTICE! From the footplate to the floor minimum 4cm.!! (Minimum Front height = DP + 4cm.)**

Setting    ☆ Standard     Prudential     Active     Extreme

Backrest Height (TS)    Std.Value 33,5 .....(min 24.5-max 47)

camber    ☆ 0°     2°     4°


Front height STD 49    .....

Rear height STD 42    .....

24" Rear wheel (min 38-max 46)

25" Rear wheel (min 39-max 47)

26" Rear wheel (min 40-max 48)



☆ Version mudguard (Available only with rear wheels 24")

Version straight sideguard

**Seat**

☆ Seat cloth with pocket (under seat)

Seat with tension straps    08883    **£ 196**

Carbon rigid seat    08336    **£ 415**

Pocket (under seat) [25x11x4,5]    08281    **£ 65**

**STYLE**

☆ CARBON Essence


ALA ROSSA    07947    **£ 109**

ALA BIANCA    07948    **£ 109**

**Footplate**

☆ Carbon fibre footplate - adjustable distance +/- 1,5cm. SPECIAL FLIP-UP!

Minimum footplate distance 35cm.



English  
Date ..... Order ..... User name ..... Address .....

**Backrest with rake adjustable from -4° to +16°**

- Backrest with double locking (upright and folded)
- Backrest with upright locking system ONLY (no locking when folded)
- Fixed back(non-folding back)

☆ Aluminium backrest

Titanium backrest

Carbon fibre backrest



(Lightest configuration)


06811 £ 164

04389 £ 655

**A I R - Integrated posture backrest (not removable) - Lateral retaining 6,5cm.** 06815 £ 1015  
not available for seat width 48 - Std. Backrest upholstery not provided - Handle tube aluminium with short tubes


**Lateral retaining wing B=low**

**Carbon shell H25**



Backrest Height (TS) min 29 ..... max 41


**Carbon shell H33**



Backrest Height (TS) ..... (37 + 46)

**Lateral retaining wing A=high**

**Carbon shell H30**



Backrest Height (TS) ..... (32 + 42,5)

**AIR Cover**

☆ Cover Standard - fabric insert: GREY, stitchings GREY

**Cover SPORT**


09195 £ 87

- fabric insert: BLACK - Stitchings GREY
- fabric insert: BLACK - Stitchings LIME
- fabric insert: BLACK - Stitchings ORANGE
- fabric insert: BLACK - Stitchings RED
- fabric insert: BLACK - Stitchings BLUE
- fabric insert: BLACK - Stitchings BLACK
- fabric insert: BLACK - Stitchings FUCHSIA
- fabric insert: BLACK - Stitchings ANTHRACITE

**Cover ACTIVE**

09195 £ 87

- fabric insert: RED - Stitchings BLACK
- fabric insert: LIME - Stitchings BLACK
- fabric insert: BLUE - Stitchings BLACK



Transpiring fabric stitchings

**Handle tube**

☆ Handle tube STD

- Handle tube with short tubes
- Handle tube SPORT Without push handles

Carbon fibre handle (with short tubes)

(Lightest configuration)

04390 £ 131

**Not available with: Posture backrest PHYSIO - Posture backrest A I R**

Folding handles aluminium



02958 £ 218

**Casters**

☆ 4" Soft

3" Sport

(Lightest configuration)

5" Soft

3" Active Soft (wide)

(Aluminium alloy rim)

06824 £ 109

4" Active Sport (narrow)

(Aluminium alloy rim)

01398 £ 109

4" Active Soft (wide)

(Aluminium alloy rim)

03943 £ 109

5" Active Soft (wide)

(Aluminium alloy rim)

07518 £ 109

English

Date ..... Order ..... User name ..... Address .....

### Rear wheels

Available with : VERSION MUDGUARD - VERSION STRAIGHT SIDEGUARD

☆ 24" Ultra-light Progeo - Standard!			
<input type="radio"/>	24" ULTRA-LIGHT PROGEO KEY SPORT	(Lightest configuration)	04383    £ 764
<input type="radio"/>	24" Ultra-light "Spinergy LX"		01685    £ 764
<input type="radio"/>	24" Ultra-light "Spinergy LXL"	<input type="checkbox"/> Black hub and white blade spokes <input type="checkbox"/> Hub and blade spokes black	07846    £ 764
<input type="radio"/>	24" Off-road (aluminium handrim black)		01392    £ 196
<hr/>			
Available only with: VERSION STRAIGHT SIDEGUARD			
<input type="checkbox"/>	22" Ultra-light Progeo - Standard!		
<input type="checkbox"/>	25" Ultra-light Progeo - Standard!	(colour: black)	
<input type="checkbox"/>	26" Progeo - Standard!	(colour: black)	
<input type="radio"/>	25" Ultra-light "Spinergy LX"		02101    £ 764
<input type="radio"/>	25" Ultra-light "Spinergy LXL"	<input type="checkbox"/> Black hub and white blade spokes	07847    £ 764
<input type="radio"/>	26" Ultra-light "Spinergy LX"		02102    £ 764

### Rear wheel tyre







☆ High pressure tyre (22"-24"-25"-26") (Lightest configuration)			
<input type="checkbox"/>	High pressure profile tyre	(24")	
<input type="radio"/>	Marathon Plus	(24"-25")	with anti-puncture protection    01669    £ 55
<input type="radio"/>	Anti-puncture - Colour Grey	(22")	04181    £ 87
<input type="radio"/>	Solid tyre Kik Mako - Colour Black	(24")	01041    £ 109
<input type="radio"/>	Solid tyre Kik Mako - Colour Grey	(24")	01751    £ 109

### Handrim - Wheel distance


☆ 3 cm     4 cm

☆ Aluminium (22"-24"-25"-26") (Lightest configuration)			
<input type="radio"/>	Aluminium black SOFT-TOUCH	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)    09170    £ 109
<input type="radio"/>	Chromed Steel	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)    01684    £ 131
<input type="radio"/>	Titanium	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)    00016    £ 240
<input type="radio"/>	Ultra Grepp	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)    00017    £ 273
<input type="radio"/>	Max Grepp	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)    00834    £ 305
<input type="radio"/>	Ergo Para	(24")	00632    £ 305
<input type="radio"/>	SURGE LT	(24"-25")	Oval countour with a rubber insert    06427    £ 316
<input type="radio"/>	Quad (24")	(24")	00693    £ 175
<input type="radio"/>	Silicon cover for standard aluminium handrim		Available for measures (22"- 24" - 26")    04050    £ 142

### Wheel locks

☆ Without brake (Lightest configuration)			
<input type="checkbox"/>	Bent lever push to lock		
<input type="checkbox"/>	Straight lever Push to lock		
<input type="checkbox"/>	Straight lever Pull to lock		
<input type="radio"/>	Sport brake		 06428    £ 109
<input type="radio"/>	Brake with extension lever push to lock		 01949    £ 55
<input type="radio"/>	Brake with extension lever pull to lock		 03372    £ 55

### Armrests

<input type="radio"/>	Swing away armrests	(Swing away, removable and height adjustable armrest)	 00694    £ 218
		☆ Pad STANDARD	
<input type="radio"/>	Ergonomic pad (30x6 cm.)		04104    £ 55

### Accessories

<input type="radio"/>	Pad for front frame protectors		07058    £ 44
<input type="radio"/>	Backrest-seat connection cloth		10241    £ 16
<input type="radio"/>	Removable storage bag (with quick coupling)		09811    £ 109

Date ..... Order ..... English User name ..... Address .....

**Optional 1**

Transit wheels 03290 £ 131

Anti-tipper with rapid hookup 06821 £ 109  
06822 £ 109

(inside rotation to reduce the encumbrance)  
 Right  
 Left

**Optional 2**

Lumbar support 00013 £ 33  
 Tetraclip 03947 £ 153

(to insert in the backrest upholstery)  
(Quick release axle for quadriplegic)

**Additional Kit**

24" Off-road rear wheels 03378 £ 436  
Off-Road tyre - aluminium handrim (black colour)

24" FAT rear wheels 09357 £ 764  
FAT tyre 3" - aluminium handrim (black colour)

**PHYSIO - Posture backrest** Std. Backrest upholstery not provided

Aluminum shell - Lateral retaining STANDARD 7,5cm 05308 £ 884  
05309 £ 938

Height  25  33  41  
Height  52

Lateral retaining wing  A=high  B=low

Aluminum shell - Lateral retaining DEEP 15cm 05310 £ 938  
05311 £ 993

Height  25  33  41  
**H25 not available for seat width 39-42-45-48**  
Height  52

Lateral retaining wing  A=high  B=low

Carbon shell - Lateral retaining STANDARD 7,5cm 05312 £ 1015

Height  25  33  41  
Lateral retaining wing  A=high  B=low


**COVER**

☆ Cover with fabric-cover of backrest's rear side and high refraction fabric hems




SWING AWAY - Lateral support  
**Not available with Physio backrest with lateral retaining DEEP and in carbon backrest**

Internal thoracic support to the backrest width, adjustable (0 ÷ -1,5cm)




- Large (17,5x11,5)  
 Left **05646**  Right **05647**
- Small (14x9,5)  
 Left **05642**  Right **05643**
- Additional Kit for internal thoracic support to the backrest width, adjustable (-8,5 ÷ -10cm)

Internal thoracic support to the backrest width, adjustable (-4 ÷ -5,5cm)



- Large (17,5x11,5)  
 Left **05646**  Right **05647**
- Small (14x9,5)  
 Left **05642**  Right **05643**

Internal thoracic support to the backrest width, adjustable (-8,5 ÷ -10cm)



- Large (17,5x11,5)  
 Left **05646**  Right **05647** £ 175
- Small (14x9,5)  
 Left **05642**  Right **05643** £ 175
- (with additional kit) £ 175

Headrest adjustable - Double ball mounting system 05648 £ 393  
**Not available for Physio backrest's height 25 and with carbon shell**

Large (34x14)  
 Small (28x14)

Rehateam s.r.l. Vicolo Negrelli, 5 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.480387 - Fax +39.0422.484661 / +39.0422.484684  
P.IVA IT 03182520266 - C.C.I.A.A. TV n.41690 Capitale Sociale I.V. Euro 100.000,00

Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com

English

Date ..... Order ..... User name ..... Address .....

Rehateam s.r.l. Vicolo Negrelli, 5 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.484657 / +39.0422.480387 - Fax +39.0422.484661 / +39.0422.484684  
 P. IVA IT 03182520266 - C.C.I.A.A. TV n.225867 - Iscr.Trib. TV n.41690 Capitale Sociale I.V. Euro 100.000,00

Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com

## REFERENCE TABLES

1	Rear wheels	
Model	Features	
24" Ultra-light Progeo - Standard!	(available for all colours)	
24" ULTRA-LIGHT PROGEO KEY SPORT	(silver hub, black rim and 16 spokes)	
24" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)	
24" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white blade spokes) - (black hub, rim and 18 spokes)	
24" Ultra-light "Spinergy Flex rim"	(silver hub, black rim and spokes) - (integrated aluminium/rubber handrim - encumbrance reduction up to 3cm. - all tyre)	
24" Off-road	(colour: black) - (aluminium handrim - tyre Off-road)	

Italia Certified company normative UNI EN ISO 9001

Important notices page only if any optional have been chosen

Pag. 5 / 5	Wheelchair : CARBOMAX - Rev. 2020.3	Prices in EURO - VAT excluded to be added to the price list	<input checked="" type="checkbox"/> <b>standard</b> (supplied if no requests are indicated) <input type="checkbox"/> <b>on request</b> (without extra charge) <input type="checkbox"/> <b>optional</b> (cost to be added at the basic price)
------------	-------------------------------------	--	--