

Folding frame wheelchair

Date

User name

Company stamp

Responsible

Wheelchair measures

Seat width (LS) 27 30 33 36

Seat depth (PS) 30 32,5 35 37,5
The real seat depth, from the front part of the seat cloth to the backrest tube will be 2 cm more than the declared one.

Backrest Height (TS) Std.Value 41(min 27-max 47)
Rake no adjustable backrest

Setting Standard Dynamic - Not available with Short frame

Footplate distance (DP) **(Real distance between seat and footplate)**
IMPORTANT NOTICE! From the footplate to the floor minimum 4cm.!! (Minimum Front height = DP + 4cm.)

Front height (STD 48) - Rear height (STD 44)

Frame

☆ Frame Short frame - Ideal with Seat depth (PS) 30 Medium frame - Ideal with Seat depth (PS) 32,5 - 35 Long frame - Ideal with Seat depth (PS) 37,5

Frame colour
 Yellow Green Fuchsia

Casters

☆ 6" Soft

4" Soft 00010 £ 55

5" Soft 00832 £ 55

6" Pneumatic 02107 £ 55

Rear wheels

☆ 22" rear wheel

Rear wheel tyre

☆ High pressure tyre (22")

Handrim - Wheel distance 3cm.

☆ Aluminium (22")

Silicon cover for standard aluminium handrim 04050 £ 142

Wheel locks

☆ Straight lever pull to lock



Footplate - See reference tables N°3


☆ Footrest , with heel band

Mudguard

☆ ABS mudguard

Armrests

Desk armrests **(Removable and height adjustable)**

☆ Pad STANDARD  04104 £ 55

Ergonomic pad (30x6 cm.)

Swing away armrests **(Removable and height adjustable with ABS Mudguard)** 06862 £ 76

Optional


☆ Anti-tippers - INCLUDED ON THE BASIC PRICE

☆ Push handles for companion **(Removable and height adjustable)**
 INCLUDED ON THE BASIC PRICE

Safety pelvic belt 03972 £ 55

Harness 04103 £ 109

Tray table 00508 £ 240

Swing away lateral support Right  02097 £ 218

Not available with Posture backrest PHYSIO Left 02098 £ 218

Spoke guards Black (22") 01043 £ 131

Spoke guards Transparent (22") 00835 £ 131


Spoke guards Progeo design (22") 00019 £ 153

Spoke guards Dragon (22") 02106 £ 153


Date Order English User name Address

PHYSIO - Posture backrest KID Junior version - Std. Backrest upholstery not provided

WARNING: with this backrest the seat depth is reduced by 5 cm approx.


- Aluminum shell Height 29 40  07469 **£ 884**
- SWING AWAY - Lateral support

External thoracic support to the backrest width, adjustable from 0 to +3 cm




- Large (17,5x11,5)
 Left **07474** Right **07473**
- Small (14x9,5)
 Left **07472** Right **07471**

Internal thoracic support to the backrest width, adjustable from 1 to -3 cm



- Large (17,5x11,5)
 Left **07474** Right **07473**
- Small (14x9,5)
 Left **07472** Right **07471**

Internal thoracic support to the backrest width, adjustable from -5 to -8 cm



- Large (17,5x11,5)
 Left **07474** Right **07473** **£ 175**
- Small (14x9,5)
 Left **07472** Right **07471** **£ 175**

PHYSIO - Posture backrest Adult version - Std. Backrest upholstery not provided

not available for seat width 27

- Aluminum shell - Lateral retaining STANDARD 7,5cm Height 25 33 41 **05308 £ 884**
 Height 52 **05309 £ 938**



Lateral retaining wing A=high B=low

- Aluminum shell - Lateral retaining DEEP 15cm Height 25 33 41 **05310 £ 938**



H25 not available for seat width 39

Height 52 **05311 £ 993**

Lateral retaining wing A=high B=low

- Carbon shell - Lateral retaining STANDARD 7,5cm Height 25 33 41 **05312 £ 1015**



Lateral retaining wing A=high B=low


COVER

☆ Cover with fabric-cover of backrest's rear side and high refraction fabric hems




- SWING AWAY - Lateral support
Not available with Physio backrest with lateral retaining DEEP and in carbon backrest

Internal thoracic support to the backrest width, adjustable (0 ÷ -1,5cm)




- Large (17,5x11,5)
 Left **05646** Right **05647**
- Small (14x9,5)
 Left **05642** Right **05643**

Internal thoracic support to the backrest width, adjustable (-4 ÷ -5,5cm)



- Large (17,5x11,5)
 Left **05646** Right **05647**
- Small (14x9,5)
 Left **05642** Right **05643**

Internal thoracic support to the backrest width, adjustable (-8,5 ÷ -10cm)




- Large (17,5x11,5)
 Left **05646** Right **05647** **£ 175**
- Small (14x9,5)
 Left **05642** Right **05643** **£ 175**
- (with additional kit) **£ 175**

Rehateam s.r.l. Vicolo Negrelli, 5 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.484657 / +39.0422.484661 / +39.0422.484684 - Fax +39.0422.484661 / +39.0422.484684
 P.IVA.IT 03182520266 - C.C.I.A.A. TV n. 225867 - Iscr. Trib. TV n. 41690 Capitale Sociale I.V. Euro 100.000,00

Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com

Date	Order	English User name	Address
------------	-------------	----------------------------	---------------

<input type="radio"/> Headrest adjustable - Double ball mounting system	<input type="checkbox"/> Large (34x14)		05648	£ 393
Not available for Physio backrest's height 25 and with carbon shell	<input type="checkbox"/> Small (28x14)			

Rehateam s.r.l. Vicolo Negrelli, 5 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.484657 / +39.0422.480387 - Fax +39.0422.484684
 P.IVA IT 03182520266 - C.C.I.A.A. TV n.225867 - Iscr. Trib. TV n.41690 Capitale Sociale I.V. Euro 100.000,00

Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com

Note

Italia Certified company normative UNI EN ISO 9001		Important notice! s page only if any optional have been chosen	
Pag. 3 / 3	Wheelchair : JUNIOR LIGHT - Rev. 2020.2	Prices in EURO - VAT excluded to be added to the price list	<input checked="" type="checkbox"/> standard (supplied if no requests are indicated) <input type="checkbox"/> on request (without extra charge) <input type="checkbox"/> optional (cost to be added at the basic price)

Enclosure to wheelchair order form Junior Light

REFERENCE TABLES

1	Front height	
	Casters	Front height
		min. max
4"	41	48
5"	42	49
6"	44	50

2	Standard Rear Frame	
	Rear wheels	Rear height
		min. max.
22"	38	47

3	Footplate option	Footplate distance
	Footrest	min. 18 max 40
Calculated with the best configuration and with the footplates positioned on inside. IMPORTANT NOTICE! From the footplate to the floor minimum 4cm.!! (Minimum Front height = DP + 4cm.)		