

Date


User name

Company stamp

Responsible

Carbon fibre frame made-to-measure.

Keep attention to all measures.
NOIR is a wheelchair without possibilities of adjustments after its manufacturing.
See reference tables
Take care to write all the requested measures (in centimetres)



ESSENCE

☆ CARBON Essence Polished transparent painting		
○ OPAQUE Essence Opaque transparent painting	08925	£ 545
○ LIME Essence	08926	£ 764
○ RED Essence	08927	£ 764
○ BLUE Essence	08928	£ 764
○ ANTHRACITE + OPAQUE Essence	08929	£ 982
○ GOLD Essence	10071	£ 1309
○ SILVER Essence	10072	£ 1309

Fork colour


- ☆ Opaque black Pearl white

Footplate option

☆ Carbon fibre frame with integrated footplate, not adjustable
(Lightest configuration)

Aluminium footplate adjustable distance +/- 1,5cm (rake and depth adjustable)
Minimum footplate distance 35cm.

- ☆ Internal 2/3 Internal
 External 2/3 External




English
Date Order User name Address

Seat

- ☆ Seat cloth with pocket (under seat)
- Seat with tension straps 08883 **£ 196**
- Carbon rigid seat 08336 **£ 415**
 - Pocket (under seat) [25x11x4,5] 08281 **£ 65**

Backrest with rake adjustable from -4° to +16°


- ☆ Backrest with double locking (upright and folded)
- Backrest with upright locking system ONLY (no locking when folded)
- Fixed back(non-folding back)
- ☆ Carbon fibre backrest (Lightest configuration)
- Titanium backrest



- AIR - Integrated posture backrest (not removable) - Lateral retaining 6,5cm.** 06815 **£ 1015**
not available for seat width 48 - Std. Backrest upholstery not provided - Handle tube aluminium with short tubes


Lateral retaining wing B=low

Carbon shell H25



Backrest Height (TS) min 29 max 41


Carbon shell H33



Backrest Height (TS) (37 + 46)

Lateral retaining wing A=high

Carbon shell H30



Backrest Height (TS) (32 + 42,5)

AIR Cover


- ☆ Cover Standard - fabric insert: GREY, stitchings GREY

Cover SPORT 09195 **£ 87**

- fabric insert: BLACK - Stitchings GREY
- fabric insert: BLACK - Stitchings LIME
- fabric insert: BLACK - Stitchings ORANGE
- fabric insert: BLACK - Stitchings RED
- fabric insert: BLACK - Stitchings BLUE
- fabric insert: BLACK - Stitchings BLACK
- fabric insert: BLACK - Stitchings FUCHSIA
- fabric insert: BLACK - Stitchings ANTHRACITE

Cover ACTIVE 09195 **£ 87**

- fabric insert: RED - Stitchings BLACK
- fabric insert: LIME - Stitchings BLACK
- fabric insert: BLUE - Stitchings BLACK



Handle tube

- ☆ Handle tube with short tubes
- Handle tube SPORT Without push handles (Lightest configuration)
- Folding handles aluminium



02958 **£ 218**

Casters

- ☆ 3" Sport (Lightest configuration)
- 4" Soft
- 3" Active Soft (wide) (Aluminium alloy rim)
- 4" Active Sport (narrow) (Aluminium alloy rim)
- 4" Active Soft (wide) (Aluminium alloy rim)
- 5" Active Soft (wide) (Aluminium alloy rim)

Rear wheels - See chart N°3







- ☆ 24" ULTRA-LIGHT PROGEO KEY SPORT (Lightest configuration)
- 24" Ultra-light "Spinergy LX"
- 24" Ultra-light "Spinergy LXL" Black hub and white blade spokes Hub and blade spokes black
- 25" Ultra-light "Spinergy LX"
- 25" Ultra-light "Spinergy LXL" Black hub and white blade spokes
- 26" Ultra-light "Spinergy LX"
- 24" Ultra-light "Spinergy Flex rim" 04353 **£ 458**

English


<u>Date</u>	<u>Order</u>	<u>User name</u>	<u>Address</u>
-------------	--------------	------------------	----------------

Rear wheel tyre				
<input checked="" type="checkbox"/> High pressure tyre	(22"-24"-25"-26")	(Lightest configuration)		
<input type="checkbox"/> High pressure profile tyre	(24")			
<input type="checkbox"/> Marathon Plus	(24"-25")	with anti-puncture protection	01669	£ 55
<input type="checkbox"/> Solid tyre Kik Mako - Colour Black	(24")		01041	£ 109
<input type="checkbox"/> Solid tyre Kik Mako - Colour Grey	(24")		01751	£ 109




Handrim - Wheel distance		<input checked="" type="checkbox"/> 3 cm	<input type="checkbox"/> 4 cm	
<input checked="" type="checkbox"/> Aluminium	(22"-24"-25"-26")	(Lightest configuration)		
<input type="checkbox"/> Aluminium black SOFT-TOUCH	(24"-25")		09170	£ 109
<input type="checkbox"/> Chromed Steel	(24"-25")		01684	£ 131
<input type="checkbox"/> Titanium	(24"-25")		00016	£ 240
<input type="checkbox"/> Ultra Grepp	(24"-25")		00017	£ 273
<input type="checkbox"/> Max Grepp	(24"-25")		00834	£ 305
<input type="checkbox"/> Ergo Para	(24")		00632	£ 305
<input type="checkbox"/> SURGE LT	(24"-25")	Oval countour with a rubber insert	06427	£ 316
<input type="checkbox"/> Quad (24")	(24")		00693	£ 175
<input type="checkbox"/> Silicon cover for standard aluminium handrim	Available for measures (22"-24"-25"-26")		04050	£ 142

Wheel locks				
<input checked="" type="checkbox"/> Without brake				
<input type="checkbox"/> Bent lever push to lock				
<input type="checkbox"/> Straight lever Push to lock				
<input type="checkbox"/> Straight lever Pull to lock				
<input type="checkbox"/> Sport brake		(Lightest configuration)		
<input type="checkbox"/> Brake with extension lever push to lock				
<input type="checkbox"/> Brake with extension lever pull to lock				

Mudguard				
<input checked="" type="checkbox"/> Carbon fibre mudguard				
<input type="checkbox"/> Carbon fibre Straight sideguard	<input checked="" type="checkbox"/> Aligned wheel	<input type="checkbox"/> Under wheel cm	<input type="checkbox"/> Above wheel cm	
<input type="checkbox"/> Removable carbon fibre mudguard				04109 £ 218
<input type="checkbox"/> Removable Carbon fibre straight sideguard	<input checked="" type="checkbox"/> Aligned wheel	<input type="checkbox"/> Under wheel cm	<input type="checkbox"/> Above wheel cm	04109 £ 218

Armrests				
<input type="checkbox"/> Swing away armrests	(Swing away, removable and height adjustable armrest)			00694 £ 218
	<input checked="" type="checkbox"/> Pad STANDARD			
	<input type="checkbox"/> Ergonomic pad (30x6 cm.)			04104 £ 55

Accessories				
<input type="checkbox"/> Pad for front frame protectors				07058 £ 44
<input type="checkbox"/> Removable storage bag (with quick coupling)				09811 £ 109

Optional 1				
<input type="checkbox"/> Transit wheels				03290 £ 131
<input type="checkbox"/> Anti-tipper with rapid hookup	(inside rotation to reduce the encumbrance)			
	<input type="checkbox"/> Right			06821 £ 109
	<input type="checkbox"/> Left			06822 £ 109




Rehateam s.r.l. Vicolo Negrelli, 5 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.484657 / +39.0422.484661 / +39.0422.484684
 P.IVA IT 03182520266 - C.C.I.A.A. TV n.225867 - Iscr. Trib. TV n.41690 Capitale Sociale L.V. Euro 100.000,00

Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com

Date Order English User name Address

Optional 2				
<input type="radio"/> Lumbar support	(to insert in the backrest upholstery)		00013	£ 33
<input type="radio"/> Tetraclip	(Quick release axle for quadriplegic)		03947	£ 153

Additional Kit				
<input type="radio"/> 24" Off-road rear wheels	Off-Road tyre - aluminium handrim (black colour)		03378	£ 436
<input type="radio"/> 24" FAT rear wheels	FAT tyre 3" - aluminium handrim (black colour)		09357	£ 764

PHYSIO - Posture backrest		Std. Backrest upholstery not provided		
<input type="radio"/> Aluminum shell Lateral retaining STANDARD 7,5cm		Height <input type="checkbox"/> 25 <input type="checkbox"/> 33 <input type="checkbox"/> 41	05308	£ 884
		Height <input type="checkbox"/> 52	05309	£ 938
		Lateral retaining wing <input type="checkbox"/> A=high <input type="checkbox"/> B=low		
<input type="radio"/> Aluminum shell Lateral retaining DEEP 15cm		Height <input type="checkbox"/> 25 <input type="checkbox"/> 33 <input type="checkbox"/> 41	05310	£ 938
		Height <input type="checkbox"/> 52	05311	£ 993
		Lateral retaining wing <input type="checkbox"/> A=high <input type="checkbox"/> B=low		
<input type="radio"/> Carbon shell Lateral retaining STANDARD 7,5cm		Height <input type="checkbox"/> 25 <input type="checkbox"/> 33 <input type="checkbox"/> 41	05312	£ 1015
		Lateral retaining wing <input type="checkbox"/> A=high <input type="checkbox"/> B=low		


COVER

☆ Cover with fabric-cover of backrest's rear side and high refraction fabric hems




SWING AWAY - Lateral support
Not available with Physio backrest with lateral retaining DEEP and in carbon backrest

Internal thoracic support to the backrest width, adjustable (0 ÷ -1,5cm)




- Large (17,5x11,5)
- Left 05646 Right 05647
- Small (14x9,5)
- Left 05642 Right 05643
- Additional Kit for internal thoracic support to the backrest width, adjustable (-8,5 ÷ -10cm)

Internal thoracic support to the backrest width, adjustable (-4 ÷ -5,5cm)



- Large (17,5x11,5)
- Left 05646 Right 05647
- Small (14x9,5)
- Left 05642 Right 05643

Internal thoracic support to the backrest width, adjustable (-8,5 ÷ -10cm)



- Large (17,5x11,5)
- Left 05646 Right 05647 £ 175
- Small (14x9,5)
- Left 05642 Right 05643 £ 175
- (with additional kit) £ 175

<input type="radio"/> Headrest adjustable - Double ball mounting system			
Not available for Physio backrest's height 25 and with carbon shell		<input type="checkbox"/> Large (34x14)	05648 £ 393
		<input type="checkbox"/> Small (28x14)	

Rehateam s.r.l. Vicolo Negrelli, 5 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.484657 / +39.0422.480387 - Fax +39.0422.484661 / +39.0422.484664
 P.IVA IT 03182520266 - C.C.I.A.A. TV n.225867 - Iscr.Trb. TV n.41690 Capitale Sociale I.V. Euro 100.000,00

Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com

English

Date Order User name Address

REFERENCE TABLES

IMPORTANT NOTICE Keep attention to all measures.
NOIR is a wheelchair without possibilities of adjustments after its manufacturing.
 (1) The real seat depth, from the front part of the seat cloth to the backrest tube will be 1,5 cm more than the declared one.

1	A Footplate width			
	DP	35÷39	40÷45	46÷50
LS				
33	21,5	21	20,5	
36	24,5	24	23,5	
39	27,5	27	26,5	
42	30,5	30	29,5	
45	33,5	33	32,5	
48	36,5	36	35,5	

2	Setting	C :
	Extremely prudential	7,5
	Prudential	9
	Standard	10,5
	Active	12
	Extreme	13,5

3	Maximum width
Camber	
0°	LS + 18
2°	LS + 21
4°	LS + 24

Maximum width calculated including 3 cm. distance between tyre and handrim

Italia Certified company normative UNI EN ISO 9001

Important notices page only if any optional have been chosen