

Date ..... User ..... End user weight (kg) ..... Language user manual .....	<b>Progeo (English)</b> Company stamp  Responsible .....	<b>Rigid frame wheelchair</b> <b>CRASH TEST APPROVED</b>
--	---	---

<b>Wheelchair measures - The tolerance on all the dimensions indicated and/or required is ± 10 mm</b> <b>The seat width is measured from the outer sides of the frame, while the distance between the two side guards is 1 cm wider.</b>	
Seat width (LS) <input type="checkbox"/> 24 <input type="checkbox"/> 27 <input type="checkbox"/> 30 <input type="checkbox"/> 33 <input type="checkbox"/> 36 The seat width is measured from the outer sides of the frame, while the distance between the two side guards is 1 cm wider.	
Seat depth (PS) <input type="checkbox"/> 27,5 <input type="checkbox"/> 30 <input type="checkbox"/> 32,5 <input type="checkbox"/> 35 <input type="checkbox"/> 37,5 <input type="checkbox"/> 40 Seat depth can be increased by 2,5 or 5 cm.	
Footplate distance (DP)                    ..... min 8 - max 39,5 (cm) ±0.5cm - adjustment steps 1.5cm <b>(Real distance between seat and footplate) - IMPORTANT NOTICE! From the footplate to the floor minimum 4cm !! (Minimum Front height = DP + 4cm)</b>	
Setting                                    ☆ Standard <input type="checkbox"/> Prudential <input type="checkbox"/> Active	
Backrest Height (TS)                    Std.Value 33,5 .....(min 30,5 - max 51) adjustment steps 1.5cm	
camber                                    ☆ 0° <input type="checkbox"/> 2° <input type="checkbox"/> 4°	
Front height ..... (STD 45) Casters 3" (min 35 - max 51) Casters 4" (min 35 - max 52) Casters 5" (min 35 - max 53) The difference between Front Height and Footplate distance must be greater than 10cm	Rear height ..... (STD 41) Rear wheels 22" (min 35 - max 45) Rear wheels 24" (min 37 - max 47)

<b>Front frame</b> ☆ Aluminium frame - Angle 95°	
☆ Frame with abduction	<input type="checkbox"/> Straight frame
13330	

<b>Frame colour</b> <b>Frame colour (without extra charge)</b> ☆ Opaque black <input type="checkbox"/> POLAR white <input type="checkbox"/> Matt orange <input type="checkbox"/> Tekno anthracite <input type="checkbox"/> Matt Midnight blue <input type="checkbox"/> Matt grey <input type="checkbox"/> Matt red	
<b>Frame colour on request</b> <input type="checkbox"/> Bright silver <input type="checkbox"/> Bright fuchsia <input type="checkbox"/> Bright red <input type="checkbox"/> Bright blue <input type="checkbox"/> Bright lime	
12579	

<b>Footplate</b> ☆ One piece aluminium footplate - Flip-up! FLIP-UP! - rake and depth adjustable <b>Footplate distance (min 8 - max 39,5)</b>	 11524
---	-----------

<b>Backrest with double locking (upright and folded) ( with rake adjustable from -4° to +16°)</b> ☆ Aluminium backrest ☆ Adjustable velcro straps and padded transpiring upholstery	
---	--

<b>Handle tube</b> ☆ Tubes with standard handle <input type="checkbox"/> Folding handles <b>Minimum backrest height 30,5cm</b> Not available with: Push handles for companion	 02958
--	-----------

Date .....	Order .....	User .....	Address .....
------------	-------------	------------	---------------

<b>Fork colour</b> <input checked="" type="radio"/> Opaque black <input type="radio"/> <b>Bright silver</b> <input type="radio"/> <b>POLAR white</b> <input type="radio"/> <b>Bright red</b> <input type="radio"/> <b>Tekno anthracite</b> <input type="radio"/> <b>Matt grey</b> <p style="text-align: right;">08342</p>	<b>Colour rear wheels</b> To be matched only with:Rear wheels Ultra-light Progeo - Standard! (22 - 24) <input checked="" type="radio"/> Black <input type="radio"/> <b>Bright silver</b> <input type="radio"/> <b>POLAR white</b> <input type="radio"/> <b>Bright red</b> <input type="radio"/> <b>Tekno anthracite</b> <input type="radio"/> <b>Matt grey</b> <input type="radio"/> <b>Bright blue</b> <input type="radio"/> <b>Bright fuchsia</b> <input type="radio"/> <b>Bright lime</b> <input type="radio"/> <b>Matt Midnight blue</b> <input type="radio"/> <b>Matt red</b> <p style="text-align: right;">04692</p>
--	---

<b>Casters</b>			
<input checked="" type="radio"/> 4" Soft			
<input type="radio"/> 3" Sport	<i>Lightest configuration</i>		
<input type="radio"/> 5" Soft			
<input type="radio"/> 3" Active Soft (wide)	(Aluminium alloy rim)		06824
<input type="radio"/> 4" Active Sport (narrow)	(Aluminium alloy rim)		01398
<input type="radio"/> 4" Active Soft (wide)	(Aluminium alloy rim)		03943
<input type="radio"/> 5" Active Soft (wide)	(Aluminium alloy rim)		07518
<input type="radio"/> 5" Pneumatic			10844

<b>Rear wheels</b>			
<input checked="" type="radio"/> 24" Ultra-light Progeo - Standard!			
<input type="radio"/> 22" Ultra-light Progeo - Standard!			
<input type="radio"/> 24" ULTRA-LIGHT PROGEO KEY SPORT	<i>Lightest configuration</i>		04383
<input type="radio"/> 24" Ultra-light "Spinergy LX"			01685
<input type="radio"/> 24" Ultra-light "Spinergy LXL"	<input type="checkbox"/> Black hub and white spokes	<input type="checkbox"/> Hub and spokes black	07846
<input type="radio"/> 24" Ultra-light "Spinergy Flex rim"	Integrated aluminium/rubber handrim		02270
<input type="radio"/> 24" Off-road (aluminium handrim black - Wheel distance 4cm)			01392

<b>Rear wheel tyre</b>			
<input checked="" type="radio"/> High pressure tyre	(22"-24")	<i>Lightest configuration</i>	
<input type="radio"/> High pressure profile tyre	(24")		
<input type="radio"/> Marathon Plus	(24")	with anti-puncture protection	01669
<input type="radio"/> Anti-puncture - Colour Grey	(22")		04181
<input type="radio"/> Anti-puncture - Colour Black	(24")		11083
<b>Not available with Rear wheels : 24" ULTRA-LIGHT PROGEO KEY SPORT, 24" Ultra-light "Spinergy LXL"</b>			


<b>Handrim</b>			
	<b>Wheel distance</b>	<input checked="" type="checkbox"/> 3 cm	<input type="checkbox"/> 4 cm
<input checked="" type="radio"/> Aluminium	(22"-24")	<i>Lightest configuration</i>	
<input type="radio"/> Aluminium black SOFT-TOUCH	(24")		09170
<input type="radio"/> Chromed Steel	(24")		01684
<input type="radio"/> Titanium	(24")		00016
<input type="radio"/> Ultra Grepp	(24")		00017
<input type="radio"/> TOP FRICTION	(24")		11023
<i>Oval countour with a rubber insert</i>			
<input type="radio"/> NOVA H	(24")		11025
<i>Ergonomic black profile</i>			
<input type="radio"/> NOVA D	(24")		11026
<i>Ergonomic profile with rubber coating (ideal for quadriplegics)</i>			
<input type="radio"/> Silicon cover for standard aluminium handrim		Available for measures (22"-24")	04050

<b>Wheel locks</b>	
<input checked="" type="checkbox"/> Bent lever push to lock	
<input type="checkbox"/> Straight lever push to lock	
<input type="checkbox"/> Straight lever pull to lock	
<input type="checkbox"/> Brake with extension lever push to lock	
<input type="checkbox"/> Brake with extension lever pull to lock	
	01949 03372

Date .....	Order .....	User .....	Address .....
------------	-------------	------------	---------------

**Mudguard**


☆ Removable ABS mudguard

Removable ABS fibre straight sideguard  03946

Removable carbon fibre mudguard 03946


Removable Carbon fibre straight sideguard 03946

**Armrests**

Tubular armrests (Swing away, removable and height adjustable armrest)  04828


Height assembly (to the seat):  27    28,5    30    31,5    33    34,5    36

**Removable armrest with integrated mudguard**

Removable armrest with ABS straight sideguard  08881

Removable armrest with carbon-fiber straight sideguard 08882

**SAFETY**

4 points tie-down system rings  08654  
(installation must be carried out by the manufacturer)  
 A head restraint suitable for transportation must be available and fitted accordingly during transportation.


**Accessories**

Pad for front frame protectors 07058

Backrest-seat connection cloth 10241


Removable storage bag (with quick coupling) 09811


**Optional 1**

Anti-tipper with rapid hookup  06821  
(inside rotation to reduce the encumbrance)  
 The first is provided free of charge    ☆ Right     Left

The second has extra charge     Right     Left 06822

**Optional 2**

One piece Push handle for companion  08930  
(Removable and height adjustable)


Push handles for companion  03645  
(Removable and height adjustable)

Tetraclip 03947  
(Quick release axle for quadriplegic)

Safety pelvic belt 03972

Harness 04103

Lumbar support 00013  
(to insert in the backrest upholstery)

Swing away lateral support  02097  
Prevents backrest folding  
 Not available with Posture backrest PHYSIO - Posture backrest A I R  
 Right 02098  
 Left

Spoke guards Black 01043  
(22"-24")

Spoke guards Transparent 00835  
(22"-24")

Spoke guards Progeo design 00019  
(22"-24")

**Additional Kit**

24" Off-road rear wheels 03378  
Off-Road tyre - aluminium handrim (black colour)

24" FAT rear wheels 09357  
FAT tyre 3" - aluminium handrim (black colour)

Date ..... Order ..... User ..... Address .....

**PHYSIO - Std. Backrest upholstery not provided**


Removable with quick release  
 Suitable for tubes with diameter 18+26mm  
 Depth adjustment (4cm)  
 Angle adjustment (±18°)

**Posture backrest KID JUNIOR VERSION**

- KID** Aluminum shell

**WARNING: with this backrest the seat depth is reduced by 5 cm approx.**


not available for seat width 24

BACKREST HEIGHT	29	34	40
Shell's shape	Lateral retaining wing R=regular		
	R	R	R
 3.5 cm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Posture backrest ADULT VERSION**


- AIR** Carbon shell

not available for seat width 27 - 30

BACKREST HEIGHT	28	34	40
Shell's shape	Lateral retaining wing A=high - R=regular		
	A	R	A
	R	R	R
 7.5 cm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

- POSTURE** Aluminum shell

not available for seat width 27 - 30

BACKREST HEIGHT	34	40	52
Shell's shape	Lateral retaining wing R=regular		
	R	R	R
 7.5 cm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Configuration DEEP with side support PAD (height adjustable)**

Alluminum lateral with padded, breathable upholstery.



Small (h 13cm)



Right  
10272

Left  
10272

Large (h 20cm)



Right  
10273


Left  
10273

Date ..... Order ..... User ..... Address .....

**Accessories**

*KID AIR POSTURE*

SWING AWAY - Lateral support  
Not available for backrest Physio AIR carbon shell  
Fixing and adjustment hardware complete with protection sleeve  
Alluminum lateral with padded, breathable upholdstery.



Large (18x12) 05647

Small (14x9) 05643

Lateral support extension Quantity (number pcs).....

10271

Lateral support extension Quantity (number pcs).....

Small (14x9) 05642

Large (18x12) 05646

Headrest adjustable - Double ball mounting system  
Available only with backrest Physio Posture and Kid

Large (35x12,5) 05648  
 Small (25x12,5)





Empty rectangular box for additional notes or specifications.

<p>Wheelchair : Progeo JOKER JUNIOR 2.0 - Rev. 2026.0</p>	<p>Prices - VAT excluded to be added to the price list</p>	<p><b>Send this page only if any optional have been chosen</b></p> <p><input checked="" type="checkbox"/> <b>standard</b> <small>(supplied if no requests are indicated)</small></p> <p><input type="checkbox"/> <b>on request</b> <small>(without extra charge)</small></p> <p><input type="radio"/> <b>optional</b> <small>(cost to be added at the basic price)</small></p>
---	--	--


Date .....	Order .....	User .....	Address .....
------------	-------------	------------	---------------

**SMARTDRIVE - including battery charger**



	<p><b>SWITCH CONTROL (DX+SX) - EU</b> Funzionamento a due pulsanti</p>	<input type="radio"/> 6 KM/H	MX2-S002
		<input type="radio"/> 9 KM/H	MX2-S005


  



<p><b>SWITCH CONTROL + JACK 3.5 - EU</b></p>	<p>"Mono" female input, allows SmartDrive to be connected to any other control/driving device.</p>	<input type="radio"/> 6 KM/H	MX2-S003
		<input type="radio"/> 9 KM/H	MX2-S006

**Pulsante di comando esterno BUDDY BUTTON**  
completo di adattatore, set di montaggio e braccio di estensione  
*Disponibile solo con SWITCH CONTROL + JACK 3.5*



MX2-BBB

**ATTACHMENT HARDWARE FIX FRAME KIT**  
Choose attachment hardware kit according to the size of the wheelchair's rear wheels

Attachment hardware fix frame kit - rear wheels 22" - 24" MX2-44S-C




Attachment hardware fix frame kit - rear wheels 25" MX2-45S-C

Attachment hardware fix frame kit - rear wheels 26" MX2-46S-C

**SMART WATCH**


Lo SmartDrive può essere comandato e gestito con uno Smart Watch APPLE o GALAXY

- Fast and simple setup
- Increased screen visibility
- Improved battery performance
- Free App from Apple Store and Play Store

<p><u>Lista compatibilita'</u></p> 	<p><b>Smart Watch compatibili</b></p> <p><b>APPLE WATCH</b> serie 5 o successivi con iOS 8 o successivi Apple iPhone</p> <p><b>GALAXY WATCH</b> serie 4 o successivi Smartphone Samsung Smartphone Android 6.0 e RAM almeno 1.5 GB</p>	<p><b>Applicazioni gratuite</b></p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>SmartDrive MX2+</p>  </div> <div style="text-align: center;"> <p>Pushtracker</p>  </div> </div>
--	--	---

**Accessories**

Carrying bag  MX2SD-BAG

Universal padded handle  
*Universal padded handle*  MX2-986

Wheelchair : Progeo JOKER JUNIOR 2.0 - Rev. 2026.0	Prices - VAT excluded to be added to the price list	<p style="text-align: center; font-size: small;">Send this page only if any optional have been chosen</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">★</td> <td style="width: 60%;">standard</td> <td style="width: 30%; text-align: right; font-size: x-small;">(supplied if no requests are indicated)</td> </tr> <tr> <td style="text-align: center;">□</td> <td>on request</td> <td style="text-align: right; font-size: x-small;">(without extra charge)</td> </tr> <tr> <td style="text-align: center;">○</td> <td>optional</td> <td style="text-align: right; font-size: x-small;">(cost to be added at the basic price)</td> </tr> </table>	★	standard	(supplied if no requests are indicated)	□	on request	(without extra charge)	○	optional	(cost to be added at the basic price)
★	standard	(supplied if no requests are indicated)									
□	on request	(without extra charge)									
○	optional	(cost to be added at the basic price)									