

Date Progeo (English) Company stamp

User

End user weight (kg) Folding frame wheelchair

Language user manual Responsible

Wheelchair measures - The tolerance on all the dimensions indicated and/or required is ± 10 mm

Seat width (LS) 36 39 42 45 48
The seat width is measured from the outer sides of the frame
For seat enlargement see section enlargement of mudguard and armrest with integrated mudguard

Seat depth (PS) 37,5 40 42,5 45 47,5
The real seat depth, from the front part of the seat cloth to the backrest tube will be 1 cm more than the declared one. - calculated with angle backrest 90° to the seat

Footplate distance (DP) (cm) ±0.5cm - adjustment steps 1.5cm
(Real distance between seat and footplate) - IMPORTANT NOTICE! From the footplate to the floor minimum 4cm !! (Minimum Front height = DP + 4cm)

Setting Standard Prudential Active

Camber 2° 0° 4°

Backrest Height (TS) Std.Value 33,5(min 24.5-max 47) adjustment steps 1.5cm

Backrest angle (to the seat) 90° -6° 6°

Front height (STD 49) - Rear height (STD 43)

Front frame

Frame Angle

110°

120°

95°

Rear frame

Aluminium standard frame

Short frame - Ideal with Seat depth (PS)37,5 - 40
Not available for depth 45 - 47,5

Long frame - Ideal with Seat depth (PS)42,5 - 45 - 47,5

Frame colour

Opaque black

Tekno anthracite

Matt grey

POLAR white

Matt Midnight blue

Matt red

Matt orange

Backrest

Adjustable velcro straps and padded transpiring upholstery

Handle tube

Tubes with standard handle

Folding handles
Not available with: Push handles for companion, Brake handles for companion (Drum Brake)

02958

Casters

4" Soft

3" Sport *Lightest configuration*

5" Soft

6" Soft *Not available with frame angle 95°*

6" Pneumatic *Not available with frame angle 95°*

3" Active Soft (wide) (Aluminium alloy rim) **06824**

4" Active Sport (narrow) (Aluminium alloy rim) **01398**

4" Active Soft (wide) (Aluminium alloy rim) **03943**

5" Active Soft (wide) (Aluminium alloy rim) **07518**

5" Pneumatic **10844**

Date	Order	User	Address
------	-------	------	---------

Wheel locks

Bent lever push to lock

Straight lever push to lock

Straight lever pull to lock

Sport brake

Brake with extension lever push to lock

Brake with extension lever pull to lock

06428

01949

03372

Footplate - See reference tables N°3

Plastic footrest rake adjustable

Minimum footplate distance 35cm. 2/3 Internal 2/3 External

One piece footplate - Flip-up! rake and depth adjustable

Minimum footplate distance 35cm. Internal 2/3 Internal External

One piece aluminium footplate - Flip-up! rake and depth adjustable

Minimum footplate distance 35cm. Internal 2/3 Internal 2/3 External External

One piece Carbon fibre footplate rake adjustable, swing away, flip-up.

Minimum footplate distance 35cm. Internal External

11525

11527

11528

03291

○ Minimum footplate distance 30cm. Available only with Multi-function and rotative system - 03945 ,00

Mudguard

Mudguard

ABS mudguard

ABS Straight sideguard

Carbon fibre mudguard

Carbon fibre Straight sideguard

Mudguard enlargement

+ 0 cm

+ 1 cm + 2 cm

Removable version

The distance between the two side guards is 1 cm wider than the seat width

Removable ABS mudguard

Removable ABS fibre straight sideguard

Removable carbon fibre mudguard

Removable Carbon fibre straight sideguard

03946

08918

12648

08921

08921

08919

08920

Armrests

Tubular armrests - Steel support with safety locking system
(Swing away, removable and height adjustable armrest)
Not available with anti-tippers if the rear seat height is less than 40cm

Removable armrest with integrated mudguard

Desk armrests PROGEO (Removable and height adjustable)

Enlargement of Desk armrests PROGEO

+ 0 cm

+ 2 cm Available only with Ultra-light Progeo standard wheels and camber 0° or 2°

Removable armrest with ABS straight sideguard
The distance between the two side guards is 1 cm wider than the seat width

Removable armrest with carbon-fiber straight sideguard
The distance between the two side guards is 1 cm wider than the seat width

00694

09956

12648

08881

08882





Date	Order	User	Address
------	-------	------	---------

Accessories



<input type="checkbox"/> Pad for front frame protectors	07058
<input type="checkbox"/> Backrest-seat connection cloth	10241
<input type="checkbox"/> Removable storage bag (with quick coupling)	09811

Optional 1

Only one optional devices for side can be chosen

<input type="checkbox"/> Transit wheels	Exclude the installation of : Anti-tippers -Tipping aid - Crutches support		00836
<input type="checkbox"/> Anti-tipper with rapid hookup	(inside rotation to reduce the encumbrance) <input type="checkbox"/> Right <input type="checkbox"/> Left		00023 00024
<input type="checkbox"/> Tipping aid	<input type="checkbox"/> Right <input type="checkbox"/> Left		00025 01046
<input type="checkbox"/> Crutches support	<input type="checkbox"/> Right <input type="checkbox"/> Left		00838 00837

Optional 2

<input type="checkbox"/> Tetracclip	(Quick release axle for quadriplegic)		03947
<input type="checkbox"/> Quick release front forks	To be matched only with: Standard support front fork		00030
<input type="checkbox"/> Push handles for companion	(Removable and height adjustable)		01048
<input type="checkbox"/> Safety pelvic belt			03972
<input type="checkbox"/> Harness			04103
<input type="checkbox"/> Lumbar support	(to insert in the backrest upholstery)		00013
<input type="checkbox"/> Swing away lateral support Not available with Posture backrest PHYSIO	<input type="checkbox"/> Right <input type="checkbox"/> Left		02097 02098
<input type="checkbox"/> Spoke guards Black	(22"-24")		01043
<input type="checkbox"/> Spoke guards Transparent	(22"-24")		00835
<input type="checkbox"/> Spoke guards Progeo design	(22"-24")		00019

Additional Kit


<input type="checkbox"/> 24" Off-road rear wheels	Off-Road tyre - aluminium handrim (black colour)		03378
<input type="checkbox"/> 24" FAT rear wheels	FAT tyre 3" - aluminium handrim (black colour)		09357

Date	Order	User	Address
------------	-------------	------------	---------------


PHYSIO - Posture backrest
(Std. Backrest upholstery not provided)

Removable with quick release
Suitable for tubes with diameter 18÷26mm
Depth adjustment (4cm)
Angle adjustment (±18°)

AIR Carbon shell
not available for seat width 48

BACKREST HEIGHT	28	34	40		
Shell's shape 	Lateral retaining wing A=high - R=regular				
	A	R	A	R	A
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

POSTURE Aluminum shell

BACKREST HEIGHT	34	40	52		
Shell's shape 	Lateral retaining wing R=regular				
	R	R	R	R	R
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Configuration DEEP with side support PAD (height adjustable)

Alluminum lateral with padded, breathable upholstery.



Small (h 13cm)



Right
10272

Left
10272

Large (h 20cm)




Right
10273

Left
10273

SWING AWAY - Lateral support

Fixing and adjustment hardware complete with protection sleeve
Alluminum lateral with padded, breathable upholstery.



Large (18x12)

05647

Small (14x9)

05643

Lateral support extension

Quantity (number pcs).....

10271

Lateral support extension

Quantity (number pcs).....

Small (14x9)

05642

Large (18x12)

05646

Headrest adjustable - Double ball mounting system
Available only with backrest Physio Posture

Large (35x12,5)
 Small (25x12,5)






05648

Date	Order	User	Address
------	-------	------	---------

Note

Wheelchair : Progeo TEKNA ADVANCE SWING with footrests removable and Swing away - Rev. 2026.0	Prices - VAT excluded to be added to the price list	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2" style="text-align: center;">Send this page only if any optional have been chosen</td> </tr> <tr> <td style="width:5%; text-align: center;">☆</td> <td style="width:95%;"> <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:80%;">standard</td> <td style="font-size: small;">(supplied if no requests are indicated)</td> </tr> <tr> <td>□ on request</td> <td style="font-size: small;">(without extra charge)</td> </tr> <tr> <td>○ optional</td> <td style="font-size: small;">(cost to be added at the basic price)</td> </tr> </table> </td> </tr> </table>	Send this page only if any optional have been chosen		☆	<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:80%;">standard</td> <td style="font-size: small;">(supplied if no requests are indicated)</td> </tr> <tr> <td>□ on request</td> <td style="font-size: small;">(without extra charge)</td> </tr> <tr> <td>○ optional</td> <td style="font-size: small;">(cost to be added at the basic price)</td> </tr> </table>	standard	(supplied if no requests are indicated)	□ on request	(without extra charge)	○ optional	(cost to be added at the basic price)
Send this page only if any optional have been chosen												
☆	<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:80%;">standard</td> <td style="font-size: small;">(supplied if no requests are indicated)</td> </tr> <tr> <td>□ on request</td> <td style="font-size: small;">(without extra charge)</td> </tr> <tr> <td>○ optional</td> <td style="font-size: small;">(cost to be added at the basic price)</td> </tr> </table>	standard	(supplied if no requests are indicated)	□ on request	(without extra charge)	○ optional	(cost to be added at the basic price)					
standard	(supplied if no requests are indicated)											
□ on request	(without extra charge)											
○ optional	(cost to be added at the basic price)											

REFERENCE TABLES

1	Front height				
With closed frame (95°) max 5" caster					
FORK	Casters				
	3"	4"	5"	6"	
SMALL 	min. 39	min. 40	min. 42	min. 44	
	max 42	max 43	max 43	max 45	
MEDIUM 	min. 43	min. 44	min. 44	min. 46	
	max 45	max 46	max 47	max 48	
LONG 	min. 46	min. 47	min. 46	min. 47	
	max 52	max 53	max 54	max 55	
The size of the fork will be defined only by Progeo in accordance with wheelchair final configuration.					

2	Rear height			
	Rear wheels			
	22"	24"	25"	26"
H min	min. 36	min. 38	min. 39	min. 40
H max	max 44	max 48	max 49	max 51

3	Footplate option	Footplate distance
	Elastic footrest	min. 36
	One piece footplate - Flip-up! with multifunction rotative system	min. 31
	One piece aluminium footplate - Flip-up!	min. 36
	One piece footplate - Flip-up!	min. 36
	One piece Carbon fibre footplate	min. 36
Calculated with the best configuration and with the footplates positioned on inside.		
IMPORTANT NOTICE! From the footplate to the floor minimum 4cm !! (Minimum Front height = DP + 4cm)		

4	Rear wheels	
	Model	Features
	22" Ultra-light Progeo - Standard!	(not available in anthracite color)
	24" Ultra-light Progeo - Standard!	(available for all colors)
	24" ULTRA-LIGHT PROGEO KEY SPORT	(silver hub, black rim and 16 spokes)
	24" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	24" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white spokes) - (black hub, rim and 18 spokes)
	24" Ultra-light "Spinergy Flex rim"	(silver hub, black rim and spokes) - (integrated aluminium/rubber handrim - encumbrance reduction up to 3cm. - all tyre)
	24" Off-road	(colour: black) - (aluminium handrim - tyre Off-road)
	25" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	25" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white spokes)
	26" Progeo - Standard!	(colour: black)
	26" Ultra-light "Spinergy LX"	(silver hub, black rim and 18 spokes)

Date Order User Address

SMARTDRIVE - including battery charger

Attention not compatible one arm drive

	SWITCH CONTROL (DX+SX) - EU Funzionamento a due pulsanti	<input type="radio"/> 6 KM/H	MX2-S002
		<input type="radio"/> 9 KM/H	MX2-S005

	SWITCH CONTROL + JACK 3.5 - EU "Mono" female input, allows SmartDrive to be connected to any other control/driving device.	<input type="radio"/> 6 KM/H	MX2-S003
		<input type="radio"/> 9 KM/H	MX2-S006

Pulsante di comando esterno BUDDY BUTTON
 completo di adattatore, set di montaggio e braccio di estensione
Disponibile solo con SWITCH CONTROL + JACK 3.5

MX2-BBB

ATTACHMENT HARDWARE FOLDER KIT
 Choose attachment hardware kit according to the size of the wheelchair's rear wheels

<input type="checkbox"/> Attachment hardware folder kit - rear wheels 22" - 24"	MX2-443-C
<input type="checkbox"/> Attachment hardware folder kit - rear wheels 25"	MX2-453-C
<input type="checkbox"/> Attachment hardware folder kit - rear wheels 26"	MX2-463-C

SMART WATCH

Lo SmartDrive può essere comandato e gestito con uno Smart Watch APPLE o GALAXY

- Fast and simple setup
- Increased screen visibility
- Improved battery performance
- Free App from Apple Store and Play Store

Lista compatibilita'

Smart Watch compatibili

APPLE WATCH
 serie 5 o successivi con iOS 8 o successivi
 Apple iPhone

GALAXY WATCH
 serie 4 o successivi
 Smartphone Samsung
 Smartphone Android 6.0 e RAM almeno 1.5 GB

Applicazioni gratuite

SmartDrive MX2+

Pushtracker

Accessories

Carrying bag

Universal padded handle
Universal padded handle

MX2SD-BAG

MX2-986

Wheelchair : Progeo TEKNA ADVANCE SWING - Rev. 2026.0	Prices - VAT excluded to be added to the price list	<p style="font-size: small;">Send this page only if any optional have been chosen</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">★</td> <td style="width: 60%;">standard</td> <td style="width: 30%; text-align: right; font-size: x-small;">(supplied if no requests are indicated)</td> </tr> <tr> <td style="text-align: center;">□</td> <td>on request</td> <td style="text-align: right; font-size: x-small;">(without extra charge)</td> </tr> <tr> <td style="text-align: center;">○</td> <td>optional</td> <td style="text-align: right; font-size: x-small;">(cost to be added at the basic price)</td> </tr> </table>	★	standard	(supplied if no requests are indicated)	□	on request	(without extra charge)	○	optional	(cost to be added at the basic price)
★	standard	(supplied if no requests are indicated)									
□	on request	(without extra charge)									
○	optional	(cost to be added at the basic price)									